



Inside the Box





Blocking & Bracing

 Sealed Air
Korrvu® Packaging



Suspension Packaging


Korrvu® Suspension Packing suspends your product in the air space between two layers of highly resilient low-slip film. The patented design suspends your product away from impact, providing consistent protection for fragile products even after repeated drops.





Retention Packaging

Korrvu® Retention Packing holds your product securely within its proprietary retention frame. This provides engineered protection for a wide range of products that require shock protection during the shipping cycle.



Compression Packaging

Korrvu® Compression Packing provides simple, fast and cost-effective blocking and bracing protection. Suitable for a wide range of products and applications, it also serves double duty as an attractive shipper and protective product display.



Cushioning

Sealed Air

Instapak® Foam - Foam Cushioning

Instapak® is one of the most economical packaging materials available, and can cut your material costs dramatically without sacrificing product protection. Because Instapak® foam expands up to 280 times its liquid volume, the equivalent of a trailer load of packaging material can be stored in two 55-gallon drums. **Instapak®** foam only expands when, where and how you need it.



Benchtop



Tabletop



Floor Basket

NewAir I.B.® Express - Inflatable Cushioning System

**The Versatile, Inflatable
cushioning System for
Any Packaging Operation**





Cushioning

Foams



Instapak Quick RT



Quick® RT	#10	#20	#40	#60*	#80
Flat Bag Size	15" x 18"	18" x 18"	18" x 24"	18" x 24"	22" x 27"

*25% more foam than #40


Quick Tuff® RRT	#25	#45	#65
Flat Bag Size	18" x 16"	18" x 20"	22" x 20"

Bubblewraps

Ready-To-Roll



Specialty



Temp Shield



Bags



Kraft





Sealed Air

Cell-Aire® Family

Cell-Aire® foam packaging material is a cleaner, more efficient and cost-effective solution for a range of packaging applications and is backed by the Sealed Air reputation for technical innovation, service and quality. **Cell-Aire®** foam packaging is:

- An efficient replacement for bulkier, heavier packaging materials to help reduce solid waste.
- Resistant to moisture damage over a wide range of temperatures and provides excellent thermal insulation.
- High-cling, low-slip material holds securely.
- Made of recyclable, low-density polyethylene.
- Resilient and cost/labor-efficient.
- Leaves no greasy residue.
- CFC and HCFC-free.
- Reusable.





Void Fill



PadPak® Systems

The PadPak® system converts recyclable paper into a cushioning void fill material capable of wrapping and protecting nearly any product. As illustrated, the product's storage is more space efficient than alternative products. The contents of PadPak® void fill are Recyclable, Renewable and Biodegradable to make strides toward a healthier environment.



Equipment



FillPak T.T.



Fill Pak



FillPak Accu Fill



Void Fill



AutoPad



AutoPad

Papers



Paper Specifications

FillPak	30" x 1660'	1 ply	30 box/pallet	Void Fill
FillPak T.T.	15" x 1660'	1 ply	65 box/pallet	Void Fill
PadPak Jr.	27" x 450'	3 ply	25 roll/pallet	Cushion/Void Fill
AutoPad	30" x 450'	3 ply	25 roll/pallet	Cushion/Void Fill
PadPak Jumbo	30" x 1350'	2 ply	9 rolls/pallet	Cushioning





Sealed Air

Fill-Air® Systems

The **Fill-Air®** systems provide an easy to use method of void fill that converts a roll of film into small air bags that can both cushion and fill your box. This inflatable packaging saves space, time and is available in almost any cushion size.

Equipment



Fill-Air 2000



Fill-Air NTS



Fill-Air Cyclone





Void Fill

Product Specifications

Fill-Air 2000

Weight (Without Roll): 199lbs
Overall Size (W x D x H): 32" x 30" x 58"
Optional Bin: 36" x 21" x 29"

Film	Width	Length
FA2K-200	8"/20cm	3,000'/914m
FA2K-250	10"/25cm	3,000'/914m
FA2K-300	12"/30cm	2,500'/762m




Fill-Air Cyclone

Weight (Without Roll): 38lbs
Overall Size with Roll (L x W x H):
 20.5" x 17" x 18.5"

Cushion Sizes:

8" x 5"	10" x 5"	12" x 5"	14" x 5"
8" x 8"	10" x 8"	12" x 8"	14" x 8"



Fill-Air NTS

Weight: 92 lbs.
Overall Size with Roll (L x W x H):
 36.25" x 35" x 67.25"

Standard Cushion Sizes:

8" x 5"	8" x 8"	8" x 12"
---------	---------	----------



* Company name and logo can be printed on cushion. Only for orders of 4 or more skids.





Rapid Fill® System

The **Rapid Fill®** automated void fill packaging system from Sealed Air has revolutionized void fill by automatically inflating the bag inside the carton. The system can fill and seal up to 10 cartons per minute, doubling or tripling the speed of most traditional methods.

Equipment



Specifications

Air Requirements:

8 – 10 cfm @ 100 psi

6.9 bars @ 227 - 283 LM

Weight:

560 lbs. 254 Kg

Overall Size (L x W x H):

38.5" x 47" x 90"

.98m x 1.19m x 2.29m






Void Fill

Rapid Fill® System




A packager clips a Rapid Fill® bag to a corner of the carton to be filled

How It Works



The flaps of the carton are closed and it is guided into the Rapid Fill® system where it is sealed



The bag is automatically inflated with the correct amount of air through the carton wall

